

American Standard



American Standard has developed icons that represent the many industry-leading features, technologies and performance attributes built into our product solutions. They are organized under three key categories: **Feature Icons, Technology Icons and Compliance Icons.** These icons serve as proof points that help too quickly and simply communicate our position of innovating and creating products that improve daily living in and around the bathroom and kitchen.



Engineered to Prevent Clogs - Flushes a bucket of golf balls in a single flush



Meets California Energy Commission requirements.



PowerWash - Scrubs the bowl clean



WaterSense® Certified. Meets all ANSI/ASME low consumption, water conservation requirements.



EverClean® is an antimicrobial additive that inhibits the growth of stain and odor causing bacteria, mold and mildew on the surface.



Environmental Product Declaration (EPD)



Right Height® bowl for greater comfort during use.



Meets the American with Disabilities Act guidelines and ANSI A117.1 requirements for accessible and usable building facilities - check local codes.



Slow-Close Seat - Never slams



Industry-Leading Warranty (Warranty varies between commercial and residential use)



Includes **EZ-Install** tools

American Standard



Superior PerformanceFlushes a bucket of golf balls in a single flush



PowerWash Scrubs the bowl clean with every flush





EverCleanFights stains on the surface



Slow Close Seat Never slams





Portsmouth Champion PRO Right Height Elongated 1.28 GPF Toilet, Less Seat 213AA.104.020



Retrospect Champion PRO Right Height Elongated 1.28 GPF Toilet, Less Seat 212AA.104.020



Retrospect Champion PRO Right Height Elongated 1.28 GPF Toilet, Less Seat 211AA.104.020



- DESCRIPTION -

- Combination bowl (3195C.101.020) and tank (4327A.104.020), less seat
- · High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf, utilizes 20% less water
- · Meets EPA WaterSense criteria
- Trade specific tank
- · PowerWash rim scrubs bowl with each flush
- · Metal trip lever
- · Metal shank fill valve
- · Includes EZ-Install tools
- EverClean Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator flush valve
- 2-3/8" (60 mm) fully-glazed trapway
- 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- · 10-year warranty (see warranty details here)

- DESCRIPTION -

- Combination bowl (3195A.101.020) and tank (4326A.104.020), less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf, utilizes 20% less water
- Meets EPA WaterSense criteria
- Trade specific tank
- · PowerWash rim scrubs bowl with each flush
- Metal trip lever
- · Metal shank fill valve
- Includes EZ-Install tools
- · EverClean Antimicrobial Surface
- · 4" (102 mm) piston-action Accelerator flush valve
- · 2-3/8" (60 mm) fully-glazed trapway
- 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- 10-year warranty (see warranty details here)

- DESCRIPTION -

- Combination bowl (3195A.101.020) and tank (4225A.104.020), less seat
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf, utilizes 20% less water
- · Meets EPA WaterSense criteria
- Trade specific tank
- · PowerWash rim scrubs bowl with each flush
- · Metal trip lever
- · Metal shank fill valve
- Includes EZ-Install tools
- EverClean Antimicrobial Surface
- 4" (102 mm) piston-action Accelerator flush valve
- · 2-3/8" (60 mm) fully-glazed trapway
- 16-1/2" (419 mm) rim height for accessible applications
- 12" (305 mm) rough-in
- · 10-year warranty (see warranty details here)







POWERWASH



EVERCLEAN



RIGHT HEIGHT





ADA

COMPLIANT



SLOW-CLOSE



WARRANTY



EZ-INSTALL



CEC

COMPLIANT









For a full product line offering for the Champion toilet please visit us at americanstandard-us.com.



